

21th September 2004

United States Patent and Trademark office
Commissioner for Patents
Washington, D.C. 20231
U.S.A.


File No.: 16626-2us PTN/df
Agent File No.: 16626-2us GH/PN//df
Customer Number: 020988

Dear Madam, Sir,

To follow upon the telephone conversation of August 23, 2004 with Mr Francis Petitclerc of the Canadian Patent Office in Gatineau Québec, we forward to you presents it.

We confirm by the present, that we revoke the mandate given to our patent agent, Mr Pierre T Nguyen, of the firm Ogilvy Renault. In the future, would like that any correspondence either addressed at my personal address, the same one registered in the original patent application, 360, Terrasse Robillard, Saint-André-d'Argenteuil, Quebec (Canada), J0V 1X0, since I myself will take care of this file.

Receive, Madam, Sir, my best regards.



Michel Couture, inventor
"Apparatus and method for separating/mixing particles/fluids"

MC/mf

D : Recherche-Temporaire/Brevet/2004/Révocation agent USA 20-09-04.doc.



ENVIRO CONSULT
RECYC
ENVIRO TECHNO

Experts conseils et technique en environnement industriel et procédés

RECEIVED
CENTRAL FAX CENTER

SEP 22 2004

TRANSMISSION PAR TÉLÉCOPIEUR

DATE : September 21, 2004

À : U.S. Patent and Trademark Office
No. de télécopieur : 703 872 9306

DE : Michel Couture

Notre référence : Brevet – demande américaine

Nature du document transmis : letter of revocation of the agent

Nombre de pages, incluant celle-ci : 7

Notre numéro de téléphone : (450) 434 – 4840 ou (450) 430 – 8660

Toute réponse par télécopieur doit être adressée au :
(450) 435 – 1509

MESSAGE :

See herewith

AVIS DE CONFIDENTIALITÉ

Le présent document peut contenir des renseignements confidentiels à l'intention de la personne précitée. Si vous vous prenez connaissance de la présente communication sans en être le destinataire, vous êtes avisé que toute diffusion, distribution ou reproduction de celle-ci est interdite. Si vous avez reçu ce message par erreur, veuillez en aviser immédiatement l'expéditeur par téléphone. Votre collaboration à cet égard est appréciée.

1084, boulevard Curé-Labelle, bureau 103, Blainville (Québec) J7C 2M7
Téléphone : (450) 434-4840 ou (450) 430-8660 cell. (514) 231-3086 Télécopieur : (450) 435-1509
Courriel : enviro-techno@qc.aira.com

*received by C.F
on 9-23-04*